UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/598,926	12/12/2006	Bert Jan Lommerts	069818-3400	2138
	7590 05/12/200 LARDNER LLP	EXAMINER		
SUITE 500 3000 K STREE	T NIXI	BUIE, NICOLE M		
WASHINGTON			ART UNIT	PAPER NUMBER
			1796	
			MAIL DATE	DELIVERY MODE
			05/12/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Comments	10/598,926	LOMMERTS ET AL.				
Office Action Summary	Examiner	Art Unit				
	NICOLE M. BUIE	1796				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠ Responsive to communication(s) filed on <u>27 Ja</u>	nuary 2009					
						
· <u> </u>	· 					
	- · · · · · · · · · · · · · · · · · · ·					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-52</u> is/are pending in the application.	4) Claim(s) 1-52 is/are pending in the application.					
	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-52</u> is/are rejected.						
7) Claim(s) is/are objected to.	<u> </u>					
•	election requirement					
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da 5) Notice of Informal P					
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	6) Other:	aton Application				
	· 					

Response to Amendment

DETAILED ACTION

The amendment filed 01/27/2009 has been entered. Claims 15-52 remain pending.

Claim Rejections - 35 USC § 103

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 15-22 rejected under 35 U.S.C. 103(a) as being unpatentable over Hackl et al. (DE 19519539 A1, see machine translation for citation) in view of Dempsey et al. (WO 00/73378 A1).

Regarding claims 15, 20, and 23, Hackl et al. discloses a bituminous binder composition comprising 50-99 wt% of bitumen (as compared to 60-99.75 wt% as required by said claim)

(P1/seventh paragraph), elastomer (P2/second paragraph), 2-25 wt% of a mono-alkyl ester of a

Art Unit: 1796

vegetable oil (as compared to 0.1-30.0 wt% or 0.3 to 25.0 wt% as required by said claims) (P2/fourth paragraph).

However, Hackl et al. does not disclose the specific amount of elastomer as required by said claims. Dempsey et al. teaches 0.5 to 12 wt% of elastomer in a bituminous composition (as compared to 0.05-5.0 wt% or 0.1 to 4.5 wt% as required by said claims) (P4/L22-25). Hackl et al. and Dempsey are analogous art concerned with the same field of endeavor, namely bituminous composition comprising elastomers. It would have been obvious to one of ordinary skill in the art at the time of invention to use the amount of elastomer of Dempsey et al. in the composition of Hackl et al., and the motivation to do so would have been as Dempsey et al. suggests, to have a composition with good rheological properties (P2/L6-12).

However, Hackl et al. does not disclose an amide additive. Additionally, Dempsey et al. teaches an amide additive (P4/L22-24). Dempsey et al. further teaches 0.1-3 wt% (as compared to 0.1-5.0 wt% as required by said claim) (P4/L22-24). It would have been obvious to one of ordinary skill in the art at the time of invention to add an amide additive, and the motivation to do so would have been as Dempsey et al. suggests, to provide compositions with significantly lower viscosities at process and handling temperatures (P5/L9-12).

Regarding claim 16, Hackl et al. discloses a polymer modified bitumen with the penetration of 60 to 150×10^{-1} mm (P2/fifth paragraph).

Regarding claims 17-19, Hackl et al. discloses styrene butadiene rubber (P2/second paragraph).

Regarding claims 21 and 22, Hackl et al. discloses methyl ester of rapeseed oil (P1/seventh paragraph and twelfth paragraph).

Application/Control Number: 10/598,926 Page 4

Art Unit: 1796

Regarding claims 24-26, Hackl et al. discloses cross-linking agents (P2/second paragraph).

Claims 27-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hackl et al. (DE 19519539 A1, see machine translation for citation) in view of Dempsey et al. (WO 00/73378 A1) as applied to claims 24-26 above, and further in view of Matheson et al. (US 4,129,542).

Regarding claims 27-32, modified Hackl et al. discloses the composition as shown above in claims 24-26.

However, modified Hackl et al. does not disclose a curing agent is a sulfur-donor compound. Matheson et al. teaches the curing agent is a sulfur-donor compound (i.e. "tetramethylthiuram sulfide") in a bituminous composition (Abstract, C3/L45-50, C4/L25-35). Additionally, Matheson et al. teaches using 1.0 wt % of curing agent (C3/L45-50, C4/L25-35). Modified Hackl et al. and Matheson et al. are analogous art concerned with the same field of endeavor, namely bituminous compositions comprising elastomers. It would have been obvious to one of ordinary skill in the art at the time of invention to add the curing agent of Matheson et al. in the composition of modified Hackl et al., and the motivation to do so would have been as Matheson et al. suggests, to have the curative react with the asphalt component as well as the rubber to provide superior properties (C2/L50-61).

Application/Control Number: 10/598,926

Art Unit: 1796

Page 5

Claims 33-42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hackl et al. (DE 19519539 A1, see machine translation for citation) in view of Dempsey et al. (WO 00/73378 A1), Memon (US 6,444,731), and Barthel et al. (US 2004/0033308).

Regarding claim 33, Hackl et al. teaches a process for preparing a bituminous binder composition comprising mixing an elastomer, a mono-alkyl ester of a vegetable oil, and bitumen.

However, Hackl et al. does not disclose an amide additive. Dempsey et al. teaches an amide additive in a bituminous composition (P4/L22-24). Hackl et al. and Dempsey are analogous art concerned with the same field of endeavor, namely bituminous composition comprising elastomers. It would have been obvious to one of ordinary skill in the art at the time of invention to add an amide additive, and the motivation to do so would have been as Dempsey et al. suggests, to provide compositions with significantly lower viscosities (P5/L9-12).

However, Hackl et al. does not disclose the specific three steps (i), (ii), and (iii) as required by said claim. Memon teaches that (i) the elastomer is treated with a dispersion agent, such as vegetable oil (C2/L15-23), (ii) treated elastomer is added to hot asphalt (C1/L50-51), and (iii) adding an additive to the mixture as obtained in step (ii) (C2/L29-34). Hackl et al. and Memon are analogous art concerned with the same field of endeavor, namely bituminous compositions comprising elastomers. It would have been obvious to one of ordinary skill in the art at the time of invention to use the steps of Memon in the process of Hackl et al, and the motivation to do so would have been as Memon suggests, the sequence of steps results in improved homogeneity of the modifier within the asphalt (C2/L56-67).

However, Hackl et al. does not disclose that the bitumen having been preheated to a temperature in the range of 100°C to 210°C. Barthel et al. teaches to prepare a hot bituminous

mixture out of bitumen, generally temperatures are in the range between 150°C and 250°C [0002]. Hacklet al. and Barthel et al. are analogous art concerned with the same field of endeavor, namely bituminous compositions comprising polymers. It would have been obvious to one of ordinary skill in the art at the time of invention to use the temperature of Hacklet al. in preheating of bitumen in the process of Hacklet al., and the motivation to do so would have been as Barthel suggests, to improve the ability to spread the asphalt and to improve the pliability of the asphalt mixture [0005].

Page 6

Regarding claim 34, Hackl et al. discloses a polymer modified bitumen with the penetration of 60 to 150×10^{-1} mm (P2/fifth paragraph).

Regarding claims 35-37, Hackl et al. discloses styrene butadiene rubber (P2/second paragraph).

Regarding claim 38, Hackl et al. does not disclose the specific amount of elastomer as required by said claims. Additionally, Dempsey et al. teaches 0.5 to 12 wt% of elastomer (as compared to 0.05-5.0 wt% or 0.1 to 4.5 wt% as required by said claims) (P4/L22-25). It would have been obvious to one of ordinary skill in the art at the time of invention to use the amount of elastomer of Dempsey et al. in the composition of Hackl et al., and the motivation to do so would have been as Dempsey et al. suggests, to have a composition with good rheological properties (P2/L6-12).

Regarding claims 39 and 40, Hackl et al. discloses methyl ester of rapeseed oil (P1/seventh paragraph and twelfth paragraph).

Regarding claim 41, Hackl et al. discloses 2-25 wt% of a mono-alkyl ester of a vegetable oil (as compared to 0.3 to 25.0 wt% as required by said claim) (P2/fourth paragraph).

Application/Control Number: 10/598,926 Page 7

Art Unit: 1796

Regarding claims 42-44, Hackl et al. discloses cross-linking agents (P2/second paragraph).

Claims 45-52 rejected under 35 U.S.C. 103(a) as being unpatentable over Hackl et al. (DE 19519539 A1, see machine translation for citation) in view of Dempsey et al. (WO 00/73378 A1), Memon (US 6,444,731), and Barthel et al. (US 2004/0033308) as applied to claims 42-44 above, and further in view of Matheson et al. (US 4,129,542).

Regarding claims 45-52, modified Hackl et al. discloses the composition as shown above in claims 24-26.

However, modified Hackl et al. does not disclose the curing agent is a sulfur-donor compound. Matheson et al. teaches the curing agent is a sulfur-donor compound (i.e. "tetramethylthiuram sulfide") in a bituminous composition (Abstract, C3/L45-50, C4/L25-35). Additionally, Matheson et al. teaches using 1.0 wt % of curing agent (C3/L45-50, C4/L25-35). Modified Hackl et al. and Matheson et al. are analogous art concerned with the same field of endeavor, namely bituminous compositions comprising elastomers. It would have been obvious to one of ordinary skill in the art at the time of invention to add the curing agent of Matheson et al. in the process of modified Hackl et al., and the motivation to do so would have been as Matheson et al. suggests, to provide superior properties of curability (C2/L50-61).

Claims 51 and 52 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hackl et al. (DE 19519539 A1, see machine translation for citation) in view of Dempsey et al. (WO 00/73378 A1) and Matheson et al. (US 4,129,542).

Application/Control Number: 10/598,926

Art Unit: 1796

Regarding claims 51 and 52, Hackl et al. discloses a process for dressing a surface comprising coating the surface (i.e. road) with a bituminous binder composition comprising bitumen, elastomer, mono-alkyl ester of a vegetable oil (P1/seventh paragraph, P2/second paragraph (P2/eighth paragraph).

Page 8

However, Hackl et al. does not disclose an amide additive. Dempsey et al. teaches an amide additive (P4/L22-24) Hackl et al. and Dempsey are analogous art concerned with the same field of endeavor, namely bituminous composition comprising elastomers. It would have been obvious to one of ordinary skill in the art at the time of invention to add an amide additive, and the motivation to do so would have been as Dempsey et al. suggests, to provide compositions with significantly lower viscosities (P5/L9-12).

Response to Arguments

Applicant's arguments filed 01/27/2009 have been fully considered but they are not persuasive. The following comments apply:

A) Applicants' argument that Hackl does not teach mono-alkyl ester of vegetable oil in the bituminous binder composition (P7) is not persuasive. For a more understandable translation, a human translation for DE 19519539 has been obtained. In the human translation (P3, second full paragraph) as well as the machine translation (P1, sixth paragraph on the page), Hackl teaches that the flux component can be a transesterification product such as rape oil methyl ester. Therefore, a mono-alkyl ester is envisaged. The fourth paragraph of page two of the machine translation gives the amount of the rape oil in a composition used for surface

Art Unit: 1796

treatments. Additionally, rapeseed oil is largely comprised of erucic acid which is a mono-acid and thus could only be esterified once.

B) In response to applicant's argument that Hackl in view of Dempsey does not recognize that mono-alkyl ester of the vegetable oil reduces the viscosity of the bituminous binder composition (P7-8), the fact that applicant has recognized another advantage which would flow naturally from following the suggestion of the prior art cannot be the basis for patentability when the differences would otherwise be obvious. See *Ex parte Obiaya*, 227 USPQ 58, 60 (Bd. Pat. App. & Inter. 1985). Since Hackl teaches using an amount of the vegetable oil which meets the claimed range in a bituminous composition with a similar oil, the effect of reducing the viscosity would be inherently present in the composition of Hackl as suggested by the instant specification (see [0029] of the corresponding PG Pub).

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

Art Unit: 1796

however, will the statutory period for reply expire later than SIX MONTHS from the mailing

date of this final action.

Correspondence

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to NICOLE M. BUIE whose telephone number is (571)270-3879.

The examiner can normally be reached on Monday-Thursday with alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Mark Eashoo can be reached on (571)272-1197. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/N. M. B./

Examiner, Art Unit 1796

4/30/2009

/Marc S. Zimmer/

Primary Examiner, Art Unit 1796

Application/Control Number: 10/598,926

Art Unit: 1796

Page 11